

# Vertretungsplan

## g.T.

### 3.01.11-7.01.11

06.01.2011 09:26

AM01		AM02		IM91		MB81		KF02N		KF92		KF82		KF84		MA01		MA91		MA81		MA82			
<b>Montag</b>				<b>Montag</b>				<b>Montag</b>																	
1				1	WP Kg A130		Ausfall	1																	
2				2	WP Kg A130		Ausfall	2																	
3		LF To A203		3	LF FT A206			3					LF Sa/Pf A007/A032	LF Al/Sr A215A107											
4		LF To A203		4	LF FT A206			4					LF Sa/Pf A007/A032	LF Al/Sr A215A107											
5				5			Wis0 He A030	5					LF Al/Sr A215A107	LF Sa/Pf A007/A032											
6				6			Wis0 He A030	6					LF Al/Sr A215A107	LF Sa/Pf A007/A032											
7				7			LF HS A207	7					LF Sa/Pf A007/A032	LF Al/Sr A215A107											
8				8			LF HS A207	8					LF Sa/Pf A007/A032	LF Al/Sr A215A107											
9				9				9																	
10				10				10																	
<b>Dienstag</b>				<b>Dienstag</b>				<b>Dienstag</b>																	
1		LF To/RI A203/A205		1				1	LF Ru A131					LF Sr A107											
2		LF To/RI A203/A205		2				2	LF Ru A131					LF Sr A107											
3		LF To/RI A203/A205		3				3			LF Hk A010	Sp Hu													
4		LF To/RI A203/A205		4				4			LF Hk A010	SP Hu													
5				5				5																	
6				6				6																	
7				7				7	LF Rj A108	Sp Hu		Wis0 Hk A010													
8				8				8	LF Rj A108	SP Hu		Wis0 Hk A010													
9				9				9																	
10				10				10																	
<b>Mittwoch</b>				<b>Mittwoch</b>				<b>Mittwoch</b>																	
1	LF Hg /To A203/A205			1			LF HS A207	1				LF Sa/Pf A007/A032											LF Kg A130	LF Kg A130	
2	LF Hg /To A203/A205			2			LF HS A207	2				LF Sa/Pf A007/A032											LF Kg A130	LF Kg A130	
3	LF Hg /To A203/A205			3	WP Kg A130			3				LF Al/Sr A215A107	LF Sa/Pf A007/A032										WISO Bu A031	WISO Bu A031	
4	LF Hg /To A203/A205			4	WP Kg a130			4				LF Al/Sr A215A107	LF Sa/Pf A007/A032										WISO Bu A031	WISO Bu A031	
5		LF To/RI A203/A205		5			Eng R0 A009	5		Wis0 HeA030	Wis0 Hk A010		LF Al/Sr A215A107										SPR Bu A031	SPR Bu A031	
6		LF To/RI A203/A205		6			Eng R0 A009	6		Wis0 HeA030	Wis0 Hk A010		LF Al/Sr A215A107										SPR Bu A031	SPR Bu A031	
7		LF To/RI A203/A205		7			Wis0 HeA030	7				LF Al/Sr A215A107													
8		LF To/RI A203/A205		8			Wis0 HeA030	8				LF Al/Sr A215A107													
9				9				9																	
10				10				10																	
<b>Donnerstag</b>				<b>Donnerstag</b>				<b>Donnerstag</b>																	
1		LF Sm /RI A103/A105		1			LF Uc A131	1				LF Sa/Pf A007/A032											LF Kg A130	LF Kg A130	
2		LF Sm /RI A103/A105		2			LF Uc A131	2				LF Sa/Pf A007/A032											LF Kg A130	LF Kg A130	
3		LF Sm /RI A103/A105		3			LF Uc A131	3				LF Pf /Al A032/A215											WISO Bu A031	WISO Bu A031	
4		LF Sm /RI A103/A105		4			LF Uc A131	4				LF Pf /Al A032/A215											WISO Bu A031	WISO Bu A031	
5				5				5	Ausfall	LF RI A010		LF Pf A032	LF Sa/Al A007/A215									SPR Bu A031	SPR Bu A031		
6				6				6	Ausfall	LF RI A010		LF Pf A032	LF Sa/Al A007/A215									SPR Bu A031	SPR Bu A031		
7	WISO Kg A130	LF RI A203		7				7																	
8	WISO Kg a130	LF RI A203		8				8																	
9				9				9																	
10				10				10																	
<b>Freitag</b>				<b>Freitag</b>				<b>Freitag</b>																	
1				1	LF FT A206			1	LF Uc A131				LF Al/Sr A215A107												
2				2	LF FT A206			2	LF Uc A131				LF Al/Sr A215A107												
3		LF RI A203		3			LF Uc A131	3	LF Ru A128	LF Sa A007		LF Al A215													
4		LF RI A203		4			LF Uc A131	4	LF Ru A128	LF Sa A007		LF Al A215													
5		D Bn AA130		5			Ausfall	5	Wis0 He A030	Ausfall		LF Sa A007													
6		D Bn A130		6			Ausfall	6	Wis0 He A030	Ausfall		LF Sa A007													
7				7				7																	
8				8				8																	
9				9				9																	
10				10				10																	